

L Number	Hits	Search Text	DB	Time stamp
1	2	5513369.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 09:43
2	2	5708838.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 09:44
3	2	6567837.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 09:44
-	40	712/\$.cccls. and (distributed adj processing adj2 system) and interface\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 16:15
-	7	(712/\$.cccls. and (distributed adj processing adj2 system) and interface\$1) and object\$1oriented	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 15:08
-	10175	((host core main controll\$3) adj2 processor) and ((micro (digital adj signal) co\$1 slave\$1 class function\$3) adj2 processor\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 16:20
-	281	((host core main controll\$3) adj2 processor) and ((micro (digital adj signal) co\$1 slave\$1 class function\$3) adj2 processor\$1)) and object\$1oriented and (interface\$1 API\$1 module\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 15:10
-	151	((((host core main controll\$3) adj2 processor) and ((micro (digital adj signal) co\$1 slave\$1 class function\$3) adj2 processor\$1)) and object\$1oriented and (interface\$1 API\$1 module\$1)) and @ad<19990707	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 15:33
-	35	(((((host core main controll\$3) adj2 processor) and ((micro (digital adj signal) co\$1 slave\$1 class function\$3) adj2 processor\$1)) and object\$1oriented and (interface\$1 API\$1 module\$1)) and @ad<19990707) and 712/\$.cccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 15:12
-	805	712/\$.cccls. and ((host core main controll\$3) adj2 processor) and ((micro (digital adj signal) co\$1 slave\$1 class function\$3) adj2 processor\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 15:46
-	63	(712/\$.cccls. and ((host core main controll\$3) adj2 processor) and ((micro (digital adj signal) co\$1 slave\$1 class function\$3) adj2 processor\$1)) and ((OO (object\$1 oriented) class\$2 object\$1) near1 processor\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 15:39
-	46	((712/\$.cccls. and ((host core main controll\$3) adj2 processor) and ((micro (digital adj signal) co\$1 slave\$1 class function\$3) adj2 processor\$1)) and ((OO (object\$1 oriented) class\$2 object\$1) near1 processor\$1)) and @ad<19990707	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 15:39
-	288	(712/\$.cccls. and ((host core main controll\$3) adj2 processor) and ((micro (digital adj signal) co\$1 slave\$1 class function\$3) adj2 processor\$1)) and ((OO (object\$1 oriented)) near10 processor\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 15:40

-	228	((712/\$.ccls. and ((host core main controll\$3) adj2 processor) and ((micro (digital adj signal) co\$1 slave\$1 class function\$3) adj2 processor\$1)) and ((OO (object\$1 oriented)) near10 processor\$1)) and @ad<19990707	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 15:41
-	204	((712/\$.ccls. and ((host core main controll\$3) adj2 processor) and ((micro (digital adj signal) co\$1 slave\$1 class function\$3) adj2 processor\$1)) and ((OO (object\$1 oriented)) near5 processor\$1)) (((712/\$.ccls. and ((host core main controll\$3) adj2 processor) and ((micro (digital adj signal) co\$1 slave\$1 class function\$3) adj2 processor\$1)) and ((OO (object\$1 oriented)) near10 processor\$1)) and @ad<19990707) and ((interface\$1 API\$1 module\$1) near5 processor\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 15:45
-	155	(((712/\$.ccls. and ((host core main controll\$3) adj2 processor) and ((micro (digital adj signal) co\$1 slave\$1 class function\$3) adj2 processor\$1)) and ((OO (object\$1 oriented)) near10 processor\$1)) and @ad<19990707) and ((interface\$1 API\$1 module\$1) near5 processor\$1)) and @ad<19990707	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 15:44
-	155	((712/\$.ccls. and ((host core main controll\$3) adj2 processor) and ((micro (digital adj signal) co\$1 slave\$1 class function\$3) adj2 processor\$1)) and ((OO (object\$1 oriented)) near10 processor\$1)) and @ad<19990707) and ((interface\$1 API\$1 module\$1) near5 processor\$1)) and @ad<19990707	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 15:44
-	134	((712/\$.ccls. and ((host core main controll\$3) adj2 processor) and ((micro (digital adj signal) co\$1 slave\$1 class function\$3) adj2 processor\$1)) and ((OO (object\$1 oriented)) near5 processor\$1)) and ((interface\$1 API\$1 module\$1) near5 processor\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 15:44
-	115	(((712/\$.ccls. and ((host core main controll\$3) adj2 processor) and ((micro (digital adj signal) co\$1 slave\$1 class function\$3) adj2 processor\$1)) and ((OO (object\$1 oriented)) near5 processor\$1)) and ((interface\$1 API\$1 module\$1) near5 processor\$1)) and @ad<19990707	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 15:44
-	7	((712/\$.ccls. and ((host core main controll\$3) adj2 processor) and ((micro (digital adj signal) co\$1 slave\$1 class function\$3) adj2 processor\$1)) and ((OO (object\$1 adj oriented)) near5 processor\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 15:45
-	8	((712/\$.ccls. and ((host core main controll\$3) adj2 processor) and ((micro (digital adj signal) co\$1 slave\$1 class function\$3) adj2 processor\$1)) and ((OO (object\$1 oriented)) same processor\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 15:45
-	50	((host core main controll\$3) adj2 processor) and ((micro (digital adj signal) co\$1 slave\$1 class function\$3) adj2 processor\$1) and ((OO (object\$1 oriented)) near10 processor\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 15:54
-	2	5708838.bn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 15:55
-	2	5095522.bn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 15:56
-	2	6072944.bn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 15:57

	3	6615279.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/05 15:58
	2	5963745.pn.		2003/11/05 15:58
	2	6567837.pn.		2003/11/05 15:58
	14	((host core main controll\$3) adj2 processor) and ((micro (digital adj signal) co\$1 slave\$1 class function\$3) adj2 processor\$1) and (public near6 memory) and (private near6 memory) and (protected near5 memory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/06 14:09
	135	712/\$.cccls. and ((public protected private) near6 memory same processor\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/06 14:10
	114	(712/\$.cccls. and ((public protected private) near6 memory same processor\$1)) and @ad<19990707	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/06 14:16
	75	712/\$.cccls. and (private near6 memory same processor\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/06 14:26
	0	(712/\$.cccls. and (private near6 memory same processor\$1)) and (public near6 memory same processor\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/06 14:11
	11	(712/\$.cccls. and (private near6 memory same processor\$1)) and (protected near6 memory same processor\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/06 14:11
	67	(712/\$.cccls. and (private near6 memory same processor\$1)) and @ad<19990707	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/06 14:26
	68	712/\$.cccls. and (protected near6 memory same processor\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/06 14:26
	55	(712/\$.cccls. and (protected near6 memory same processor\$1)) and @ad<19990707	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/06 14:27
	1	((712/\$.cccls. and (protected near6 memory same processor\$1)) and @ad<19990707) and object\$loriented	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/06 14:28
	12	712/\$.cccls. and (star adj2 (configuration topology connection))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/06 17:03

	6	((host core main controll\$3) adj2 processor) and ((micro (digital adj signal) co\$1 slave\$1 class function\$3) adj2 processor\$1) and ((star adj2 (configuration topology connection)) near10 processor\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 16:25
	58	((host core main controll\$3) adj2 processor) and ((micro (digital adj signal) co\$1 slave\$1 class function\$3) adj2 processor\$1) and (star adj2 (configuration topology connection))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 16:29
	30	((host core main controll\$3) adj2 processor) and ((micro (digital adj signal) co\$1 slave\$1 class function\$3) adj2 processor\$1) and (star adj2 (configuration topology connection))) and @ad<19990707	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 16:29
	74	(star adj2 (configuration topology connection)) near5 processor\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 17:03
	57	((star adj2 (configuration topology connection)) near5 processor\$1) and @ad<19990707	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 17:08
	3	((star adj2 (configuration topology connection)) near5 processor\$1) and @ad<19990707) and 712/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 17:08
	49	712/\$.ccls. and (star same processor\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/07 14:00
	44	(712/\$.ccls. and (star same processor\$1)) and @ad<19990707	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/07 14:00
	2	"20020019887"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/07 16:07
	57	(host adj processor) and processors and (star near3 (configuration config connection))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/07 16:44
	47	((host adj processor) and processors and (star near3 (configuration config connection))) and @ad<19990707	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/07 16:44